

Indicators	Overall						Men						Women						LHD Gender Diff. ^e						
	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d				
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)
Ever told they had a heart attack or coronary heart disease																									
2011	864	6.3%	(4.8 - 8.1)	25,024	5.9%	(5.6 - 6.3)	NS	337	9.0%	(6.4 - 12.4)	10,081	7.5%	(6.9 - 8.1)	NS	527	3.8%	(2.5 - 5.6)	14,943	4.5%	(4.1 - 4.9)	NS	Yes			
2012	594	8.5%	(6.1 - 11.7)	18,930	6.0%	(5.6 - 6.4)	NS	230	12.8%	(8.6 - 18.5)	7,772	7.6%	(6.9 - 8.3)	+	364	4.4%	(2.4 - 7.8)	11,158	4.4%	(4.0 - 4.9)	NS	Yes			
2013	616	9.1%	(6.5 - 12.6)	16,853	5.9%	(5.4 - 6.4)	+	266	12.4%	(7.9 - 18.8)	6,835	7.3%	(6.6 - 8.2)	NS	350	5.9%	(3.8 - 9.2)	10,018	4.5%	(3.9 - 5.1)	NS	No			
Ever told they had a stroke																									
2011	873	3.2%	(2.2 - 4.6)	25,355	2.6%	(2.4 - 2.9)	NS	340	4.2%	(2.6 - 6.9)	10,209	2.4%	(2.1 - 2.8)	NS	533	2.2%	(1.4 - 3.5)	15,146	2.8%	(2.5 - 3.2)	NS	No			
2012	606	3.4%	(2.0 - 5.5)	19,118	2.4%	(2.2 - 2.7)	NS	237	2.3%	(0.9 - 5.8)	7,851	2.7%	(2.3 - 3.1)	NS	369	4.4%	(2.4 - 7.8)	11,267	2.2%	(1.9 - 2.6)	NS	No			
2013	622	5.8%	(3.8 - 8.7)	17,080	2.5%	(2.2 - 2.8)	+	269	7.5%	(4.2 - 12.9)	6,954	2.2%	(1.9 - 2.6)	+	353	4.1%	(2.3 - 7.3)	10,126	2.8%	(2.4 - 3.3)	NS	No			
Blood Pressure and Cholesterol																									
Had blood pressure checked in past year																									
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	278	85.0%	(78.8 - 89.6)	7,804	84.6%	(83.1 - 86.0)	NS	120	80.9%	(70.5 - 88.2)	3,150	81.2%	(78.8 - 83.4)	NS	158	89.0%	(81.6 - 93.7)	4,654	87.8%	(85.8 - 89.5)	NS	No			
Ever told they have high blood pressure (excluding pregnancy)																									
2011	871	35.7%	(31.8 - 39.7)	25,356	28.5%	(27.8 - 29.3)	+	339	39.4%	(33.3 - 45.8)	10,212	30.3%	(29.1 - 31.5)	+	532	32.2%	(27.5 - 37.3)	15,144	26.9%	(25.9 - 27.9)	NS	No			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	621	35.9%	(31.3 - 40.8)	17,085	30.3%	(29.2 - 31.4)	NS	268	38.2%	(31.0 - 45.8)	6,956	32.5%	(30.8 - 34.1)	NS	353	33.7%	(28.1 - 39.9)	10,129	28.2%	(26.9 - 29.6)	NS	No			
Currently taking blood pressure medication, among those ever told they have high BP																									
2011	361	70.9%	(63.2 - 77.6)	9,505	77.9%	(76.5 - 79.2)	NS	152	64.7%	(53.7 - 74.3)	3,877	72.0%	(69.8 - 74.1)	NS	209	78.2%	(67.0 - 86.3)	5,628	84.2%	(82.5 - 85.7)	NS	No			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	262	78.4%	(71.0 - 84.4)	6,747	78.5%	(76.6 - 80.3)	NS	120	77.0%	(66.2 - 85.2)	2,828	73.1%	(70.2 - 75.9)	NS	142	80.0%	(68.8 - 87.8)	3,919	84.5%	(82.3 - 86.4)	NS	No			
Had cholesterol checked in past 5 years																									
2011	839	73.7%	(69.2 - 77.7)	24,606	71.8%	(71.0 - 72.7)	NS	324	66.1%	(59.0 - 72.5)	9,923	67.9%	(66.6 - 69.3)	NS	515	80.6%	(75.1 - 85.1)	14,683	75.6%	(74.5 - 76.7)	NS	Yes			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	603	74.7%	(68.7 - 79.9)	16,649	74.0%	(72.8 - 75.2)	NS	258	72.7%	(63.2 - 80.6)	6,804	71.1%	(69.2 - 72.9)	NS	345	76.7%	(68.9 - 83.0)	9,845	76.9%	(75.3 - 78.4)	NS	No			
Ever told they have high cholesterol, among those who have ever had it checked																									
2011	755	41.4%	(37.3 - 45.6)	20,831	38.3%	(37.3 - 39.3)	NS	272	46.3%	(39.6 - 53.2)	8,015	40.6%	(39.1 - 42.1)	NS	483	37.6%	(32.7 - 42.7)	12,816	36.3%	(35.1 - 37.6)	NS	No			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	532	43.2%	(38.1 - 48.4)	14,365	37.4%	(36.1 - 38.6)	NS	222	43.8%	(36.0 - 52.0)	5,672	40.0%	(38.0 - 41.9)	NS	310	42.5%	(36.3 - 49.0)	8,693	35.0%	(33.5 - 36.6)	NS	No			
Diabetes																									
Ever told they have diabetes (excluding pregnancy)																									
2011	874	7.8%	(6.2 - 9.9)	25,393	8.4%	(7.9 - 8.8)	NS	340	9.1%	(6.5 - 12.6)	10,222	8.6%	(7.9 - 9.3)	NS	534	6.6%	(4.8 - 9.1)	15,171	8.2%	(7.6 - 8.8)	NS	No			
2012	606	9.4%	(6.7 - 12.9)	19,156	8.1%	(7.6 - 8.6)	NS	237	8.3%	(5.1 - 13.1)	7,861	8.3%	(7.6 - 9.1)	NS	369	10.4%	(6.6 - 16.1)	11,295	7.9%	(7.3 - 8.5)	NS	No			
2013	622	11.8%	(9.2 - 15.0)	17,110	9.2%	(8.5 - 9.9)	NS	268	13.1%	(9.1 - 18.4)	6,968	10.1%	(9.0 - 11.2)	NS	354	10.5%	(7.5 - 14.6)	10,142	8.3%	(7.5 - 9.2)	NS	No			
Cancer																									
Ever told they have skin cancer																									
2011	870	7.5%	(6.0 - 9.4)	25,359	5.6%	(5.3 - 6.0)	NS	340	9.0%	(6.5 - 12.3)	10,205	6.3%	(5.8 - 6.8)	NS	530	6.1%	(4.4 - 8.5)	15,154	5.0%	(4.6 - 5.5)	NS	No			
2012	604	9.3%	(7.1 - 12.1)	19,133	5.6%	(5.2 - 6.0)	+	236	11.0%	(7.6 - 15.7)	7,859	5.8%	(5.3 - 6.4)	+	368	7.7%	(5.1 - 11.4)	11,274	5.4%	(4.9 - 6.0)	NS	No			
2013	620	7.7%	(5.7 - 10.4)	17,087	5.9%	(5.5 - 6.3)	NS	267	7.6%	(5.1 - 11.2)	6,956	6.3%	(5.7 - 7.1)	NS	353	7.8%	(5.0 - 12.2)	10,131	5.4%	(4.9 - 6.0)	NS	No			
Ever told they have cancer other than skin cancer																									
2011	871	8.4%	(6.6 - 10.7)	25,369	6.6%	(6.2 - 7.0)	NS	340	8.6%	(6.0 - 12.1)	10,219	5.0%	(4.6 - 5.5)	+	531	8.3%	(5.9 - 11.5)	15,150	8.1%	(7.5 - 8.6)	NS	No			
2012	604	6.4%	(4.6 - 8.8)	19,136	6.5%	(6.0 - 6.9)	NS	236	5.3%	(3.1 - 8.8)	7,858	5.0%	(4.5 - 5.6)	NS	368	7.5%	(4.9 - 11.3)	11,278	7.9%	(7.2 - 8.5)	NS	No			
2013	622	6.8%	(5.0 - 9.2)	17,104	6.8%	(6.3 - 7.3)	NS	269	5.4%	(3.3 - 8.7)	6,965	5.6%	(5.0 - 6.4)	NS	353	8.2%	(5.4 - 12.0)	10,139	8.0%	(7.3 - 8.8)	NS	No			
Ever told they have cancer (in any form)																									
2011	867	14.3%	(11.9 - 16.9)	25,315	11.2%	(10.7 - 11.7)	+	340	15.2%	(11.8 - 19.4)	10,192	10.1%	(9.5 - 10.8)	+	527	13.4%	(10.4 - 17.0)	15,123	12.2%	(11.5 - 12.9)	NS	No			
2012	602	14.4%	(11.6 - 17.7)	19,100	10.8%	(10.3 - 11.4)	+	235	15.0%	(10.9 - 20.3)	7,846	9.6%	(8.9 - 10.4)	+	367	13.7%	(10.3 - 18.1)	11,254	11.9%	(11.2 - 12.7)	NS	No			
2013	619	12.7%	(10.1 - 15.8)	17,062	11.4%	(10.8 - 12.1)	NS	267	11.7%	(8.4 - 16.1)	6,946	10.6%	(9.7 - 11.6)	NS	352	13.6%	(9.9 - 18.3)	10,116	12.3%	(11.4 - 13.2)	NS	No			
Up-to-date on colon cancer screening, 50-75 year olds																									
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	310	59.9%	(53.1 - 66.4)	9,022	61.1%	(59.6 - 62.5)	NS	121	63.2%	(52.3 - 72.9)	3,733	58.4%	(56.1 - 60.6)	NS	189	57.1%	(48.4 - 65.3)	5,289	63.6%	(61.7 - 65.4)	NS	No			
2013	315	61.0%	(54.6 - 67.0)	7,979	62.8%	(61.1 - 64.4)	NS	133	58.3%	(48.5 - 67.6)	3,275	61.0%	(58.5 - 63.6)	NS	182	63.2%	(54.8 - 70.8)	4,704	64.4%	(62.2 - 66.6)	NS	No			
Up-to-date on breast cancer screening, female 50-74 year olds																									
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall							Men							Women							LHD Gender Diff. ^g
	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d	
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		
Nutrition																						
<u>Consumed sugar-sweetened beverages 1 or more times per day in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	275	28.4%	(22.4 - 35.2)	7,822	28.5%	(26.8 - 30.3)	NS	118	37.2%	(27.7 - 47.9)	3,164	35.8%	(33.1 - 38.5)	NS	157	19.6%	(13.1 - 28.4)	4,658	21.7%	(19.7 - 24.0)	NS	
<u>Currently watching or reducing sodium or salt intake</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	277	56.1%	(49.1 - 62.8)	7,818	46.3%	(44.6 - 48.1)	+	119	54.2%	(43.8 - 64.3)	3,165	43.4%	(40.8 - 46.0)	NS	158	57.9%	(48.5 - 66.7)	4,653	49.1%	(46.8 - 51.5)	NS	
<u>Median times per day consumed fruits</u>																						
2011	813	1.0	(1.0 - 1.0)	24,090	1.0	(1.0 - 1.0)	-	313	0.7	(0.6 - 0.9)	9,660	1.0	(1.0 - 1.0)	-	500	1.0	(1.0 - 1.1)	14,430	1.1	(1.1 - 1.1)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	1.0	(0.9 - 1.1)	15,949	1.0	(1.0 - 1.0)	NS	245	0.9	(0.7 - 1.0)	6,462	1.0	(1.0 - 1.0)	-	332	1.1	(1.0 - 1.4)	9,487	1.1	(1.1 - 1.1)	NS	
<u>Consumed fruits less than 1 time per day</u>																						
2011	813	44.4%	(40.1 - 48.8)	24,090	40.1%	(39.2 - 41.1)	NS	313	56.1%	(49.3 - 62.7)	9,660	46.2%	(44.8 - 47.6)	+	500	34.0%	(28.6 - 39.7)	14,430	34.3%	(33.1 - 35.6)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	41.4%	(36.0 - 47.0)	15,949	39.7%	(38.5 - 41.0)	NS	245	49.8%	(41.4 - 58.2)	6,462	45.4%	(43.4 - 47.3)	NS	332	33.6%	(27.0 - 40.8)	9,487	34.4%	(32.8 - 36.1)	NS	
<u>Median times per day consumed vegetables</u>																						
2011	808	1.4	(1.4 - 1.6)	23,785	1.5	(1.4 - 1.5)	NS	310	1.3	(1.1 - 1.4)	9,534	1.4	(1.3 - 1.4)	NS	498	1.6	(1.5 - 1.8)	14,251	1.6	(1.6 - 1.6)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	571	1.5	(1.3 - 1.6)	15,700	1.6	(1.6 - 1.6)	NS	242	1.2	(1.0 - 1.3)	6,373	1.4	(1.4 - 1.5)	-	329	1.7	(1.6 - 2.1)	9,327	1.7	(1.7 - 1.7)	NS	
<u>Consumed vegetables less than 1 time per day</u>																						
2011	808	27.1%	(23.3 - 31.3)	23,785	26.2%	(25.4 - 27.1)	NS	310	34.8%	(28.4 - 41.7)	9,534	29.7%	(28.4 - 31.0)	NS	498	20.1%	(16.1 - 24.8)	14,251	22.9%	(21.8 - 24.1)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	571	24.8%	(20.1 - 30.2)	15,700	23.3%	(22.2 - 24.4)	NS	242	32.3%	(24.3 - 41.4)	6,373	26.6%	(25.0 - 28.4)	NS	329	17.7%	(13.5 - 23.0)	9,327	20.1%	(18.7 - 21.6)	NS	
Physical Activity																						
<u>No leisure-time physical activity in past 30 days</u>																						
2011	829	29.2%	(25.5 - 33.2)	24,433	26.3%	(25.5 - 27.1)	NS	319	34.7%	(28.7 - 41.3)	9,795	27.2%	(26.0 - 28.5)	+	510	24.2%	(20.0 - 29.0)	14,638	25.4%	(24.3 - 26.5)	NS	
2012	606	24.0%	(19.7 - 28.9)	19,153	21.0%	(20.2 - 21.9)	NS	237	27.8%	(21.0 - 35.7)	7,865	20.4%	(19.3 - 21.7)	NS	369	20.3%	(15.3 - 26.4)	11,288	21.6%	(20.5 - 22.8)	NS	
2013	582	29.5%	(24.6 - 34.9)	16,158	25.3%	(24.2 - 26.4)	NS	246	35.2%	(27.1 - 44.3)	6,567	26.3%	(24.7 - 28.1)	NS	336	24.3%	(19.3 - 30.1)	9,591	24.3%	(22.9 - 25.8)	NS	
<u>Met aerobic physical activity recommendation</u>																						
2011	799	49.1%	(44.7 - 53.5)	23,735	49.0%	(48.0 - 49.9)	NS	307	46.8%	(40.0 - 53.8)	9,544	47.2%	(45.8 - 48.6)	NS	492	51.1%	(45.5 - 56.8)	14,191	50.6%	(49.4 - 51.9)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	560	46.2%	(40.8 - 51.7)	15,730	50.1%	(48.8 - 51.4)	NS	237	40.4%	(32.6 - 48.8)	6,416	48.8%	(46.9 - 50.7)	NS	323	51.6%	(44.6 - 58.6)	9,314	51.4%	(49.7 - 53.1)	NS	
<u>Met muscle strengthening recommendation</u>																						
2011	819	24.2%	(20.5 - 28.4)	24,204	28.1%	(27.3 - 29.0)	NS	314	22.7%	(17.2 - 29.3)	9,697	32.0%	(30.6 - 33.4)	-	505	25.6%	(20.7 - 31.1)	14,507	24.5%	(23.4 - 25.6)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	577	22.7%	(18.5 - 27.6)	16,021	28.4%	(27.2 - 29.6)	NS	242	21.4%	(15.4 - 29.1)	6,499	31.0%	(29.2 - 32.8)	-	335	23.9%	(18.3 - 30.4)	9,522	26.0%	(24.5 - 27.6)	NS	
<u>Met both aerobic physical activity and muscle strengthening recommendations</u>																						
2011	794	17.4%	(14.0 - 21.4)	23,567	19.0%	(18.2 - 19.8)	NS	305	16.8%	(11.8 - 23.3)	9,477	19.7%	(18.5 - 20.9)	NS	489	18.0%	(13.7 - 23.3)	14,090	18.4%	(17.4 - 19.4)	NS	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	560	14.1%	(10.6 - 18.3)	15,635	18.8%	(17.8 - 19.9)	NS	237	11.6%	(7.2 - 18.2)	6,366	19.4%	(17.9 - 21.0)	NS	323	16.3%	(11.6 - 22.5)	9,269	18.2%	(16.8 - 19.6)	NS	
Injury																						
<u>Always wear a seatbelt when driving or riding in a car</u>																						
2011	822	62.8%	(58.4 - 67.0)	24,208	71.3%	(70.5 - 72.1)	-	315	50.7%	(43.9 - 57.4)	9,683	63.7%	(62.4 - 65.0)	-	507	73.5%	(68.1 - 78.3)	14,525	78.6%	(77.5 - 79.5)	NS	
2012	598	60.6%	(55.0 - 66.0)	18,851	69.7%	(68.7 - 70.6)	-	232	46.6%	(38.4 - 54.9)	7,731	61.7%	(60.2 - 63.2)	-	366	74.1%	(67.1 - 80.1)	11,120	77.3%	(76.1 - 78.4)	NS	
2013	577	65.7%	(60.5 - 70.6)	16,053	74.1%	(73.0 - 75.2)	-	244	50.2%	(41.8 - 58.6)	6,520	67.0%	(65.3 - 68.7)	-	333	80.0%	(74.2 - 84.8)	9,533	80.8%	(79.5 - 82.1)	NS	
<u>Texted while driving in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	286	21.0%	(15.4 - 28.0)	11,451	26.8%	(25.6 - 27.9)	NS	116	26.9%	(17.7 - 38.8)	4,757	29.2%	(27.5 - 31.0)	NS	170	15.9%	(10.2 - 24.1)	6,694	24.4%	(22.8 - 26.0)	NS	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
<u>Talked on a cell phone while driving in past 30 days</u>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	287	60.7%	(53.9 - 67.1)	11,424	69.1%	(68.0 - 70.2)	-	116	66.5%	(56.3 - 75.4)	4,742	71.5%	(69.9 - 73.2)	NS	171	55.8%	(46.9 - 64.3)	6,682	66.7%	(65.2 - 68.2)	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Indicators	Overall							Men							Women							LHD Gender Diff. ^g
	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d	South Heartland District			State of NE			Sig ^d	
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		
Had a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	480	30.1%	(25.4 - 35.1)	13,738	28.8%	(27.7 - 29.9)	NS	180	27.8%	(20.8 - 35.9)	5,384	26.9%	(25.3 - 28.5)	NS	300	32.1%	(26.2 - 38.6)	8,354	30.5%	(29.1 - 31.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Injured due to a fall in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	479	11.8%	(8.7 - 15.7)	13,719	9.9%	(9.2 - 10.6)	NS	179	8.9%	(5.0 - 15.4)	5,377	7.7%	(6.7 - 8.7)	NS	300	14.2%	(10.1 - 19.8)	8,342	11.8%	(10.9 - 12.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mental Health																						
Ever told they have depression																						
2011	870	19.6%	(16.5 - 23.2)	25,333	16.8%	(16.2 - 17.5)	NS	338	13.9%	(10.0 - 18.9)	10,198	11.5%	(10.7 - 12.4)	NS	532	25.0%	(20.4 - 30.2)	15,135	22.0%	(21.0 - 23.0)	NS	Yes
2012	605	13.8%	(10.4 - 18.1)	19,115	16.7%	(16.0 - 17.5)	NS	237	8.9%	(5.6 - 13.9)	7,853	12.4%	(11.4 - 13.5)	NS	368	18.6%	(13.2 - 25.5)	11,262	20.9%	(19.8 - 22.1)	NS	No
2013	623	18.5%	(14.6 - 23.1)	17,065	18.2%	(17.3 - 19.2)	NS	269	15.0%	(9.9 - 22.2)	6,940	12.9%	(11.6 - 14.2)	NS	354	21.9%	(16.6 - 28.2)	10,125	23.4%	(22.0 - 24.8)	NS	No
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	299	5.9%	(3.2 - 10.7)	6,643	11.0%	(10.0 - 12.1)	NS	112	2.9%	(1.3 - 6.7)	2,693	7.4%	(6.2 - 8.9)	NS	187	8.7%	(4.1 - 17.4)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	293	1.7%	(0.6 - 4.6)	6,555	3.2%	(2.6 - 3.9)	NS	109	0.6%	(0.1 - 4.1)	2,657	2.5%	(1.8 - 3.7)	NS	184	2.7%	(0.9 - 8.2)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	813	56.2%	(51.8 - 60.5)	24,051	61.8%	(60.9 - 62.7)	-	311	64.7%	(57.9 - 70.9)	9,597	67.7%	(66.4 - 69.1)	NS	502	48.6%	(43.1 - 54.2)	14,454	56.2%	(55.0 - 57.4)	-	Yes
2012	600	54.5%	(49.1 - 59.9)	18,891	61.3%	(60.3 - 62.3)	-	235	65.5%	(57.4 - 72.9)	7,749	68.7%	(67.2 - 70.1)	NS	365	43.9%	(37.0 - 51.1)	11,142	54.2%	(52.8 - 55.6)	-	Yes
2013	604	50.7%	(45.4 - 56.0)	16,614	57.5%	(56.2 - 58.7)	-	259	60.7%	(52.2 - 68.7)	6,754	63.3%	(61.4 - 65.2)	NS	345	41.4%	(35.1 - 48.1)	9,860	51.8%	(50.2 - 53.5)	-	Yes
Binge drank in past 30 days																						
2011	811	22.8%	(19.1 - 26.9)	23,948	22.7%	(21.9 - 23.5)	NS	309	31.9%	(25.7 - 38.9)	9,533	30.2%	(28.9 - 31.5)	NS	502	14.6%	(10.9 - 19.4)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	590	20.0%	(15.5 - 25.5)	18,742	22.1%	(21.3 - 23.0)	NS	229	30.6%	(22.9 - 39.5)	7,664	29.1%	(27.6 - 30.5)	NS	361	10.4%	(6.3 - 16.7)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	602	17.1%	(13.3 - 21.6)	16,500	20.0%	(19.0 - 21.1)	NS	258	24.1%	(17.7 - 31.8)	6,687	25.2%	(23.6 - 26.9)	NS	344	10.7%	(6.9 - 16.1)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
Heavy drinking in past 30 days																						
2011	808	7.0%	(5.0 - 9.6)	23,906	7.5%	(7.0 - 8.1)	NS	307	9.6%	(6.1 - 14.8)	9,514	9.2%	(8.4 - 10.2)	NS	501	4.6%	(3.0 - 7.1)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	588	7.8%	(4.9 - 12.2)	18,738	7.2%	(6.6 - 7.7)	NS	227	9.1%	(4.9 - 16.3)	7,668	8.5%	(7.7 - 9.4)	NS	361	6.6%	(3.2 - 13.0)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	600	4.1%	(2.4 - 6.9)	16,513	6.8%	(6.2 - 7.5)	NS	258	5.8%	(3.1 - 10.7)	6,698	7.3%	(6.4 - 8.3)	NS	342	2.5%	(1.0 - 6.3)	9,815	6.3%	(5.5 - 7.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	601	3.3%	(1.7 - 6.2)	18,895	3.4%	(3.1 - 3.8)	NS	234	6.3%	(3.2 - 12.1)	7,741	5.5%	(4.9 - 6.3)	NS	367	0.4%	(0.1 - 1.6)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Took pain medication prescribed by doctor in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	295	32.9%	(26.8 - 39.6)	11,767	30.2%	(29.1 - 31.4)	NS	119	40.7%	(30.7 - 51.5)	4,835	27.3%	(25.7 - 29.0)	+	176	26.2%	(19.4 - 34.3)	6,932	33.0%	(31.5 - 34.6)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Had leftover pain meds after last filled script, among those who took pain meds in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	96	47.7%	(36.0 - 59.7)	3,848	49.2%	(46.9 - 51.4)	NS	46	44.7%	(28.9 - 61.6)	1,423	43.9%	(40.4 - 47.4)	NS	50	51.8%	(35.7 - 67.5)	2,425	53.4%	(50.5 - 56.3)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Immunization and Infectious Disease																						
Had a flu vaccination in past year, aged 18 years and older																						
2011	816	49.1%	(44.8 - 53.4)	24,156	41.1%	(40.2 - 42.0)	+	311	46.2%	(39.7 - 52.9)	9,663	35.1%	(33.8 - 36.5)	+	505	51.6%	(46.0 - 57.2)	14,493	46.8%	(45.6 - 48.1)	NS	No
2012	600	43.0%	(37.8 - 48.4)	18,903	42.2%	(41.2 - 43.2)	NS	234	38.2%	(30.6 - 46.4)	7,754	36.8%	(35.4 - 38.2)	NS	366	47.7%	(40.8 - 54.7)	11,149	47.5%	(46.1 - 48.8)	NS	No
2013	576	43.0%	(37.9 - 48.3)	16,022	45.2%	(43.9 - 46.4)	NS	243	39.4%	(31.8 - 47.6)	6,506	41.2%	(39.4 - 43.1)	NS	333	46.4%	(39.7 - 53.2)	9,516	48.9%	(47.2 - 50.6)	NS	No
Had a flu vaccination in past year, aged 65 years and older																						
2011	323	74.0%	(68.4 - 78.9)	8,185	61.8%	(60.3 - 63.3)	+	107	75.7%	(66.0 - 83.3)	2,875	59.6%	(57.1 - 62.1)	+	216	72.8%	(65.8 - 78.8)	5,310	63.4%	(61.5 - 65.3)	+	No
2012	255	60.8%	(53.2 - 67.9)	6,625	62.9%	(61.2 - 64.6)	NS	88	59.1%	(46.3 - 70.8)	2,327	60.9%	(58.1 - 63.6)	NS	167	62.3%	(53.5 - 70.3)	4,298	64.4%	(62.4 - 66.5)	NS	No
2013	218	67.5%	(59.7 - 74.4)	5,652	66.2%	(64.2 - 68.1)	NS	90	64.2%	(51.6 - 75.2)	2,067	67.6%	(64.4 - 70.6)	NS	128	70.3%	(60.9 - 78.3)	3,585	65.0%	(62.6 - 67.4)	NS	No

