

Mental Health and Suicide among South Heartland District High School Students in Adams, Clay, Nuckolls and Webster Counties by Gender and Grade, 2016-2017 School Year

Fig. 1
Depressed during the past 12 months




Fig. 2
Considered Suicide during the past 12 months




Fig. 3
Made a Plan for Suicide during the past 12 months






Fig. 4
Attempted Suicide during the past 12 months



**Fig. 5
Treatment Required Due to Suicide Attempt during the past 12 months**



Selected Data from State of Nebraska 2017 Youth Risk Behavior Survey Results: Mental Health and Suicide among Nebraska High School Students

Fig. 6 Mental Health and Suicide among Nebraska High School Students, by Gender and Grade, 2017
From: *State of Nebraska 2017 Youth Risk Behavior Survey Results*




Fig. 7 Relationship between Bullying and Mental Health measures in Nebraska High School Students, 2017

From: *State of Nebraska 2017 Youth Risk Behavior Survey Results*

Association between Bullying and Depression/Suicide

- A greater proportion of students who reported being bullied during the past 12 months reported that they were depressed, considered suicide, and attempted suicide during the past 12 months than those who did not report being bullied (Table 2).

Table 2. Mental Health Measures by Bullying during the Past 12 Months, 2017

	Overall	Not Bullied	Bullied at School or Electronically
Depressed*	27.0%	19.1%	47.0%
Considered suicide	16.1%	9.4%	33.3%
Attempted suicide	8.0%	3.4%	17.1%

**Indicator definitions can be found in Appendix A.*